



NEEL 43

Shipyard:	Neel trimarans	Engine:	Hybrid Electric
Model:	Neel 43	Length:	12.90 m
Draft :	1.50 m	Beam:	7.40 m
Material:	Composite sandwich infusion	Cabins:	3 DBL + 2 forepeaks
Year:	2023	Price:	495 000 € EX-VAT

Equipment of this Neel 43: Electric propulsion 25kw + hydro generator, Generator 12 KVA 220V/50HZ Fisher Panda 15000l, 275L fuel tank, Folding propeller Gori

Layout: 3 double cabins + 2 fore peaks, Bathroom with sink and shower, "Dinner" cockpit table and saloon table, ALPI woodwork, Premium Package, Reading lights with USB ports, Curtains in the cabins, Upholstery in the cockpit and saloon, 4 Fans 12V, Bolon square floor mats, Glass partition wall between the saloon and port hull cabin, Comfort Package: Master cabin with woodwork wardrobe, coamings along the bed on the front part; Unbonded bolon flooring; Forward cabin: Alpi panel at the head of the bed, Alpi coating shelves, bolon floor. Port cabin: Alpi shelves cabinet, bolon floor, Saloon: bolon floor, central Alpi ceiling, coamings in front of the chart table, 6 storage bins, Webasto centralized reversible chilled water air conditioning.

Galley: 130L fridge, 2-burner gas stove and gas oven with grill, Upper storage cabinet above the kitchen.

Sails and rigging: Dacron full batten mainsail on ball-bearing cart, Dacron genoa on roller furler with UV strip, Lazy bag, Front sail halyard on lashing, Deck fitting for spinnaker + 2 winches + 2 sheets + 2 pulleys, Electric winch (main halyard, mainsheet, and reefing lines).

Electronics: Hi-Fi pack at the chart table with 4 speakers, B&G Electronics Pack: Depth/sounder/anemometer/Autopilot + VHF with AIS at the chart table + external autopilot control + Triton external Wireless VHF remote at the helm and 12" external display.

Electrical system: 1 set of 12V 495A service batteries, 1 Optima 12V 50A starting battery, LED interior lighting, LED navigation lights, 230V network: 6 230V outlets + 25m shore power cable, 220V/12V service and engine shore charger, Victron Multiplus Compact 12/220V 2000W 80A Charger inverter.

Plumbing: Pressurized hot and cold water, 40L water heater, Blackwater tank, 12V 105L/H Aquabase watermaker

Deck : Gas and anchoring lockers, 2-piece trampoline, Anchor well, Integrated stainless steel anchor roller under the dolphin striker, Swim ladder, Line Driver lifting system for the dinghy with remote control and cradles, Light gray RAL 7047 hull gel coat, 12V electric windlass with foot control, Windlass control and chain counter at the helm console, Hot/cold water shower on the port hull float, Mooring kit (4 lines and 6 fenders), Rigid cockpit Bimini, 12V bow thruster with dedicated batteries and charger, Mooring kit (50m cable + 60m chain + 20kg Kobra anchor), Antifouling with epoxy primer. Cockpit Bimini, Safety equipment for 8 people with EPIRB, Lifelines, auto-inflate life vests, 8 PAX life raft, 3.1m UltraLite Alu/Hypalon Highfield dinghy with 15HP outboard motor.

Mooring



MultiHull

GSM +33 (0)6 51 81 96 33

Email: multihull@outlook.com

Site Web: www.multihull.fr



GSM. +33 (0)6 51 81 96 33
Email: multihull@outlook.com
Site Web: www.multihull.fr



GSM. +33 (0)6 51 81 96 33
Email: multihull@outlook.com
Site Web: www.multihull.fr



GSM: +33 (0)6 51 81 96 33
Email: multihull@outlook.com
Site Web: www.multihull.fr



GSM. +33 (0)6 51 81 96 33
Email: multihull@outlook.com
Site Web: www.multihull.fr



GSM. +33 (0)6 51 81 96 33
Email: multihull@outlook.com
Site Web: www.multihull.fr




GSM. +33 (0)6 51 81 96 33
Email: multihull@outlook.com
Site Web: www.multihull.fr




GSM: +33 (0)6 51 81 96 33
Email: multihull@outlook.com
Site Web: www.multihull.fr



GSM. +33 (0)6 51 81 96 33
Email: multihull@outlook.com
Site Web: www.multihull.fr



GSM. +33 (0)6 51 81 96 33
Email: multihull@outlook.com
Site Web: www.multihull.fr



GSM. +33 (0)6 51 81 96 33
Email: multihull@outlook.com
Site Web: www.multihull.fr